To: Nonresponsive Based on revised scope Dtetratech.com

From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]

**Sent:** Tue 10/13/2020 2:04:55 PM (UTC)

Subject: Fwd: approval memos for 200195.2 and 200196.2

Shiloh FSP approval memo 200195.2.pdf

ATT00001.htm

Shiloh QAPP approval memo 200196.2.pdf

<u>ATT00002.htm</u>

Please note this in the logbook

Thank you

## Begin forwarded message:

From: "Gaige, Elizabeth" < Gaige. Elizabeth@epa.gov>

Date: October 13, 2020 at 9:47:10 AM EDT

**To:** "Wagner, Christine" < Wagner. Christine@epa.gov>

Cc: "Miller, Brandon" < Miller. Brandon@epa.gov>, "Ghimire, Aneesh" < ghimire.aneesh@epa.gov>, "Long,

Kia" <Long.Kia@epa.gov>, "Forren, John" <Forren.John@epa.gov>, "Caporale, Cynthia"

<Caporale.Cynthia@epa.gov>

Subject: approval memos for 200195.2 and 200196.2

Good morning Chris -

Attached are approval letters for QA # 200195.2 and QA #200196.2.

We will consider these reviews closed.

Thank you for the opportunity to review this Quality Assurance Project Plan and Field Sampling Plan.

Please contact me if you have any questions or concerns. Elizabeth

Elizabeth Gaige,
physical scientist
Applied Science and Quality Assurance Branch
Laboratory Services and Applied Sciences Division
EPA Region 3, Philadelphia
215.814.5676
gaige.elizabeth@epa.gov

From: Miller, Brandon < Miller. Brandon@epa.gov>

Sent: Tuesday, October 13, 2020 9:35 AM

To: Wagner, Christine < Wagner. Christine@epa.gov>

Cc: R3\_QA <R3\_QA@epa.gov>

Subject: DCN: 200196.2 - Revised AIR MONITORING AND FIELD SAMPLING PLAN SHILOH CHURCH ROAD REMOVAL

NATHALIE, HALIFAX COUNTY, VIRGINIA

Good morning,

We have received the Revised AIR MONITORING AND FIELD SAMPLING PLAN SHILOH CHURCH ROAD REMOVAL NATHALIE, HALIFAX COUNTY, VIRGINIA for expedited review on 10/13/2020.

We will complete this review as soon as possible. If you have any questions concerning the review of this document, please include its assigned document number DCN: 200196.2, and please contact Kia Long at 215-814-2111.

Thank you,

Brandon Miller
QA Chemist (3LS10)
Applied Science & Quality Assurance Branch (ASQAB)
Laboratory Services & Applied Science Division (LSASD)
USEPA Region III
701 Mapes Road
Ft. Meade, MD 20755
Ph. 410-305-2861
miller.brandon@epa.gov